

	Hits	Search Text	DBs
1	15	(file\$1 with open\$4) and (block\$1 with header\$1) and (block\$1 with ((valid or free or vacant or empty) or valid)) and @ad < "20000214" and (new near5 file\$1) and (file\$1 with name\$1 with header\$1) and (((first or beginning or opening) and (last or final)) with block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	11	18 and .compar\$4 and match\$4 and test\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	14	(file\$1 with open\$4) and (block\$1 with header\$1) and (block\$1 with ((valid or free or vacant or empty) or valid)) and @ad < "20000214" and (new near5 file\$1) and (file\$1 with name\$1 with header\$1) and (((first or beginning or opening) and next and (last or final)) with block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	11	(file\$1 with open\$4) and (block\$1 with header\$1) and (block\$1 with ((valid or free or vacant or empty) or valid)) and @ad < "20000214" and (new near5 file\$1) and (file\$1 with name\$1 with header\$1) and (((first or beginning or opening) and next and (last or final)) near9 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
5	14	(header\$1 with ((first or start\$4 or begin\$4) and next and (end\$4 or final)) with block\$1) and @ad < "20000214" and (open\$4 near7 file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	9	22 and (header\$1 near9 name\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	319	S2 and match\$4 and (next with block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	147	S3 and (new with (file\$1 or record\$1 or document\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	47	S6 and ((logical or virtual) near9 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	1161	(file\$1 or record\$1 or document\$1) and scan\$4 and block\$1 and header\$1 and (pointer\$1 or link\$4) and (error\$6 or fault\$1 or mistake\$1 or miscalculation\$1) and (block\$1 with (free or vacant or empty)) and flag\$1 and new	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	139	S4 and size\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	126	S5 and name\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	55	(("4424565") or ("5247516") or ("5260933") or ("5394394") or ("5463754") or ("5473607") or ("5485595") or ("5598581") or ("5619691") or ("5721828") or ("5727206") or ("5740171") or ("5778365") or ("6292868") or ("6493804") or ("5816301") or ("5835036") or ("5838614") or ("5907856") or ("5924113") or ("5930815") or ("6021415") or ("6034897") or ("6122716") or ("6128695") or ("6134151") or ("6141249") or ("6243081")).PN.	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	0	S2 and S8	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	39	S7 and test\$5 and open\$4 and exist\$4	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	519	S1 and @ad < "20000214"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	8	S22 and (((valid or free or vacant or empty) near5 block\$1) with (number\$1 or bit\$1 or flag\$1))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	0	S31 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	5	S30 and (((valid or free or vacant or empty) near5 block\$1) with (number\$1 or bit\$1 or flag\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	8	S29 and (new with (file\$1 or record\$1 or document\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	8	S28 and size\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	8	S27 and size\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	8	S26 and (next near3 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	11	S25 and (first near3 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	14	S23 and ((logical or virtual) near9 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
21	0	S22 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	55	(("4424565") or ("5247516") or ("5260933") or ("5394394") or ("5463754") or ("5473607") or ("5485595") or ("5598581") or ("5619691") or ("5721828") or ("5727206") or ("5740171") or ("5778365") or ("6292868") or ("6493804") or ("5816301") or ("5835036") or ("5838614") or ("5907856") or ("5924113") or ("5930815") or ("6021415") or ("6034897") or ("6122716") or ("6128695") or ("6134151") or ("6141249") or ("6243081")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	33	S21 and (next near3 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	34	S19 and (first near3 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	39	S19 and (first with block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
26	39	S18 and test\$5 and open\$4 and exist\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	47	S17 and ((logical or virtual) near9 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	1	S38 and (file\$1 or record\$1 or document\$1) and (header\$1 with block\$1 with ((first and next) near5 (pointer\$1 or link\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	4	S32 and ((file\$1 or record\$1 or document\$1) near9 open\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	299	(file\$1 or record\$1 or document\$1) and scan\$4 and ((first and next) near5 block\$1) and header\$1 and (pointer\$1 or link\$4) and (error\$6 or fault\$1 or mistake\$1 or miscalculation\$1) and (block\$1 with (free or vacant or empty)) and flag\$1 and (new with (file\$1 or record\$1 or document\$1)) and size\$1 and name\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	126	S16 and name\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
32	26	(file\$1 or record\$1 or document\$1) and (header\$1 with block\$1 with ((first and next) near5 (pointer\$1 or link\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	12	S41 and (file\$1 adj system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	139	S15 and size\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	147	S14 and (new with (file\$1 or record\$1 or document\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	319	S13 and match\$4 and (next with block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	519	S12 and @ad < "20000214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	1165	(file\$1 or record\$1 or document\$1) and scan\$4 and block\$1 and header\$1 and (pointer\$1 or link\$4) and (error\$6 or fault\$1 or mistake\$1 or miscalculation\$1) and (block\$1 with (free or vacant or empty)) and flag\$1 and new	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
39	1	S32 and (nvram or (static adj ram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	25	S39 not S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	0	S31 and ((file\$1 or record\$1 or document\$1) near9 open\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	0	S31 and (nvram or (static adj ram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	1	S51 and (flag\$1 with header\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	11	S50 and (first with block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	11	S49 and compar\$4 and match\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	15	S48 and ((file\$1 or document\$1) with (name\$1 or title\$1 or id\$1 or identification\$1 or identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
47	90	(file\$1 or document\$1) and (block\$1 with header\$1) and (next with block\$1 with (pointer\$1 or link\$4)) and ((file\$1 or document\$1) with open\$4) and @ad < "20000214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	17	S46 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	32	S43 and ((valid or (free or vacant or blank)) with block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	32	S43 and ((logical or virtual) with block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	0	S43 and ((logical or virtual) with block\$1 with (valid or (free or vacant or blank)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	9	S51 and ((flag\$1 or bit\$1 or value\$1 or checksum\$1) with header\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	1	("6606628").PN.	USPAT
54	9	S53 and error\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
55	1	S54 and ((modif\$5 or alter\$5 or amend\$5 or chang\$5) with header\$1)	US-PPGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	108	S58 and ((first and next and (last or final or ending)) near9 block\$1)	US-PPGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	55	(("4424565") or ("5247516") or ("5260933") or ("5394394") or ("5463754") or ("5473607") or ("5485595") or ("5598581") or ("5619691") or ("5721828") or ("5727206") or ("5740171") or ("5778365") or ("6292868") or ("6493804") or ("5816301") or ("5835036") or ("5838614") or ("5907856") or ("5924113") or ("5930815") or ("6021415") or ("6034897") or ("6122716") or ("6128695") or ("6134151") or ("6141249") or ("6243081")).PN.	US-PPGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	8	S63 and size\$1	US-PPGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	8	S65 and (new with (file\$1 or record\$1 or document\$1)) /	US-PPGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
60	8	S62 and (next near3 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	8	S64 and size\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	93	S59 and ((valid or (free or vacant or empty)) near5 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	3	S68 and (((file\$1 or document\$1) near7 name\$1) with header\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	8	S66 and ((valid or (free or vacant or empty)) near5 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	0	S68 and (compar\$5 with ((file\$1 or document\$1) near7 name\$1) with header\$1 with open\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	0	S68 and (compar\$5 with ((file\$1 or document\$1) near7 name\$1) with header\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	3	S71 and compar\$5 and match\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
68	14	S60 and ((logical or virtual) near9 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	11	S61 and (first near3 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	252	S57 and @ad < "20000214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	626	((file\$1 or record\$1 or document\$1) near7 open\$4) and block\$1 and header\$1 and (pointer\$1 or link\$4) and (error\$6 or fault\$1 or mistake\$1 or miscalculation\$1) and (block\$1 with (free or vacant or empty))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB